

FIG-1
PRIOR ART




FIG-1A
PRIOR ART




FIG-1B
PRIOR ART




Table 1. Demographic characteristics of the study population	
Age (years)	50.0 ± 10.0
Gender (male/female)	100/100
Marital status (married/divorced/separated)	100/10/10
Education (years)	12.0 ± 2.0
Occupation (white/blue)	100/100
Income (USD/month)	1000.0 ± 200.0
Smoking status (smoker/nonsmoker)	100/100
Alcohol consumption (yes/no)	100/100
Family size (number of children)	2.0 ± 1.0
Health insurance (yes/no)	100/100
Comorbidities (hypertension/diabetes/asthma)	100/100/100
Medication use (yes/no)	100/100
Stress level (high/low)	100/100
Life satisfaction (high/low)	100/100
Quality of life (high/low)	100/100
Health status (good/fair/poor)	100/100/100
Physical activity (yes/no)	100/100
Dietary habits (healthy/unhealthy)	100/100
Sleep quality (good/poor)	100/100
Mental health (stable/unstable)	100/100
Social support (strong/weak)	100/100
Work-life balance (good/poor)	100/100
Financial stability (stable/unstable)	100/100
Overall well-being (high/low)	100/100




FIG-2




FIG-2A

10051968.01602




FIG-2B




FIG-2C




FIG-3




FIG-3A




FIG-3B




FIG-3C




FIG-4

FIG-4A




FIG-4B




FIG-4C